

Grupo Solaris LED Catalog Prices - April 2017

| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
|--|---|--|--------------|---------------|-------------------|
| 1LM-T8-600-10W |  | T8 Tube-600mm | 10W | 1150 | 5000K |
| 1LJ-T8-1200-15W |  | T8 Tube-1200mm | 15W | 1650 | 5000K |
| 1LM-T8-2400-40W |  | T8 Tube-2400mm | 40W | 4350 | 5000K |
| 1LK-CANDLE-E12-2W 1LK-CANDLE-E14-2W |  | Candelabra E12 Base Candelabra E14 Base | 2W | 190 | 3000K |
| 1LX-CANDLE-E12-4W-DIM |  | Candelabra E12 Dimmable | 4W | 350 | 2700K |
| 1LK-CANDLE-E27-5W-DIM |  | Candelabra E27 Base Dimmable | 5W | 450 | 2700K |
| 1LK-COB-E27-4W |  | Clear Bulb COB E27 | 4W | 420 | 3000K |

Grupo Solaris LED Catalog Prices - April 2017

| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
|--|---|--|--------------|---------------|--|
| 1LK-MR16-COB-5W-DIM 1LK-MR16-COB-5W |  | MR16 Dimmable or Non-Dimmable | 5W | 500 | 3000K/4500K |
| 1LK-MR16-12VOLT |  | MR16 - 12 Volts | 5W | 375 | 3000K |
| 1LK-PAR16-DIM-3W 1LK-PAR16-DIM-5W |  | PAR16 - Dimmable 35 or 80 degree beam | 3W 5W | 300 500 | 2700K/6000K |
| 1LK-HR16-COB-3W |  | HR16 - all colors 38 degree beam | 3W | VAR. | white 2700K dimmable, red/green blue/yellow |
| 1LX-G24Q-6W-3000K |  | 4 Pin CFL Retrofit 180 degree beam | 6W | 550 | 3000K |
| 1LK-GU10-6W-2700K |  | GU10 Non-dimmable 80 degree beam | 6W | 550 | 2700K |
| 1LG-A19-5W-6000-CE |  | A19 Non-Dimmable | 5W | 425 | 6000K |

Grupo Solaris LED Catalog Prices - April 2017

| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
|--|---|------------------------------------|---------------------|----------------------|--------------------------|
| 1LK-A19-7W-2700-UL 1LK-A19-7W-4000-UL 1LK-A19-7W-6000-UL |  | A19 Dimmable or Non-Dimmable | 7W | 680 | 2700K 4000K 6000K |
| 1LK-A19-9W-2700 1LK-A19-9W-4000 |  | A19 Dimmable or Non-Dimmable | 9W | 880 | 2700K 4000K |
| 1LX-G25-6W-2700-UL |  | G25 Globe Bulb Dimmable UL | 6W | 450 | 2700K |
| 1LX-A19-7W-2700-UL |  | A19 Dimmable UL | 7W | 470 | 2700K |
| 1LX-A19-9W-2700-UL |  | A19 Non-Dimmable UL | 9W | 900 | 2700K |
| 1LX-A19-12W-2700-UL 1LX-A19-12W-4100-UL |  | A19 Dimmable UL A19 Dimmable UL | 12W 12W | 1100 1100 | 2700K 4100K |
| 1LX-A21-15W-4000-UL |  | A21 Dimmable UL | 15W | 1600 | 4000K |
| 1LX-A21-17W-2700-UL 1LX-A21-17W-4100-UL |  | A21 Dimmable UL | 17W | 1600 | 2700K 4100K |

Grupo Solaris LED Catalog Prices - April 2017

| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
|--|---|---|--------------|---------------|-------------------------|
| 1LK-BR20-COB-5W |  | BR20 120 Degree Beam Angle | 5W | 450 | 3000K 6000K |
| 1LK-BR30-COB-8W |  | BR30 - Dimmable 120 Degree Beam Angle | 8W | 750 | 3000K 4000K 6000K |
| 1LK-BR40-COB-13W |  | BR40 - Dimmable 120 Degree Beam Angle | 13W | 1150 | 3000K 6000K |
| 1LK-PAR20-COB-7W |  | PAR20 38 Degree Beam Angle | 7W | 515 | 3000K 6000K |
| 1LK-PAR30-COB-10W 1LK-PAR30-COB-15W |  | PAR30 80 Degree Beam Angle | 10W 15W | 900 1450 | 2700K 3000K |
| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
| 1LR-PAR38-COB-24W |  | PAR38-UL | 24W | 2520 | 6000K |
| 1LK-PAR38-COB-20W |  | PAR38 38 Degree Dimmable | 20W | 1900 | 3000K |






Grupo Solaris LED Catalog Prices - April 2017

| | | | | | |
|--------------------------------------|---|--|---------------------|----------------------|--------------------------|
| 1LB-FL-20W-DC |  | Portable Flood Light with Charger | 20W | 1300 | 6000K |
| 1LB-FL-10W-3000K/6000K |  | Flood Light - Slim Warm Light/Cold Light | 10W | 1200 | 3000K 6000K |
| 1LB-FL-10W-RGB |  | Flood Light - Slim RGB w/controller | 10W | Variable | Multicolor |
| 1LB-FL-30W-3000K 1LB-FL-30W-6000K |  | Flood Light-Slim | 30W | 2700 2800 | 3000K 6000K |
| 1LB-FL-50W-SLIM |  | Flood Light - Slim | 50W | 4000 | 6000K |
| 1LB-FLOOD-STAKE |  | Ground Stake for 30W 50W 80W Flood Lights | NA | NA | NA |
| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
| 1LM-FL-100W-SLIM |  | Flood Light - Slim | 100W | 11,500 | 6000K |
| 1LM-FL-150W-SLIM |  | Flood Light - Slim | 150W | 17,000 | 6000K |
| 1LM-FL-200W-SLIM |  | Flood Light - Slim | 200W | 24,000 | 6000K |

Grupo Solaris LED Catalog Prices - April 2017

| | | | | | |
|--|---|--|---------------------|----------------------|-----------------------------|
| 1LB-FL-60W-RGB |  | Flood Light RGB with controller | 60W | 4500 | variable |
| 1LTK-PAR56-RGB-18W 1LTK-PAR56-CONTROL |  | Pool Light only plus Controller | 18W | 1500 | RGB color variable |
| 1LTK-FOUNTAIN-24V |  | Water Fountain Light 24 Volts | 23W | 1900 | RGB color variable |
| 1LK-STEP-3W |  | Stair Step Path Light | 3W | 275 | 6000K |
| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
| 1LTK-LIN-24W 1LTK-LIN-36W |  | Strip Linear Flood | 24W 36W | 2000 3000 | 5000K 5000K |
| 1LX-VAPOR-60W |  | Strip Linear Vapor Tight | 60W | 7360 | 5000K |
| 1LM-STRIP-5M-Purple |  | Tape LED Strip 5m with power adaptor | 60W | 1000 | Purple |
| 1LA-STRIP-5M-RGBW 1LM-STRIP-5M-WHITE |  | Tape LED Strip 5m Multicolor/controller Cold White 6000K | 60W | 1000 | Variable RGB White 6000K |

Grupo Solaris LED Catalog Prices - April 2017

| | | | | | |
|--------------------------------------|---|--------------------------|---------------------|----------------------|--------------------------|
| 1LC-TAPE-BLUE |  | Tape LED Reel 50m | 60W | 1800 | BLUE |
| 1LJ-PAN30120-40W |  | 30x120 LED Panel-UL | 40W | 4500 | 4000K 5000K |
| 1LJ-PAN6060-40W |  | 60x60 LED Panel-UL | 40W | 4400 | 4000K 5000K |
| 1LJ-PAN60120-50W |  | 60x120 LED Panel-UL | 50W | 6250 | 4000K 5000K |
| 1LJ-PAN60120-75W |  | 60x120 LED Panel-UL | 75W | 8250 | 4000K 5000K 6000K |
| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
| 1LTLD-HB-30W-E40 1LTLD-HB-50W-E40 |  | High Bay E40 | 30W 50W | 3000 5000 | 6500K 6500K |
| 1LR-HB-150W |  | High Bay White | 150W | 15,000 | 6000K |
| 1LM-STAD-180W 1LM-STAD-240W |  | Stadium w/CREE LED | 180W 240W | 18,000 22,400 | 6000K 6000K |

Grupo Solaris LED Catalog Prices - April 2017

| | | | | | |
|--|---|---|----------------------|----------------------------|--------------------------|
| 1LM-HB-100W 1LM-HB-150W 1LM-HB-300W |  | High Bay 100 degree Beam Angle | 100W 150W 300W | 10,000 16,000 30,000 | 6500K 6500K 6500K |
| 1LM-HB-200W 1LM-HB-500W |  | High Bay | 200W 500W | 20,000 50,000 | 6000K 6000K |
| 1LR-CANOPY-130W |  | Canopy | 130W | 13,800 | 6000K |
| 1LR-WP-60W 1LR-WP-100W |  | Wall Pack | 60W 100W | 6000 9500 | 6000K 6000K |
| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
| 1LM-CORN-6W-E27-3000 1LM-CORN-6W-E27-4000 |  | Interior Corn Bulb E27 Base | 6W | 600 | 3000K 4000K |
| 1LM-CORN-6W-G24-6000 |  | Interior Corn Bulb G24 Base-360 degree | 6W | 700 | 6000 |
| 1LM-CORN-8W-E27-2700 |  | Interior Corn Bulb E27 Base - Dimmable | 8W | 800 | 2700K |

Grupo Solaris LED Catalog Prices - April 2017

| | | | | | |
|--|---|--------------------------------|---------------------|------------------------|--------------------------|
| 1LM-CORN-12W-E27 1LM-CORN-18W-E27 |  | Interior Corn Bulb E27 Base | 12W 18W | 1200 1800 | 6000K 5000K |
| 1LM-CORN-30W |  | Courtyard Corn Bulb | 30W | 3300 | 3000K 6000K |
| 1LM-CORN-36W |  | Courtyard Corn Bulb | 36W | 3800 | 6000K |
| 1LM-CORN-60W |  | Courtyard Corn Bulb | 60W | 6600 | 6000K |
| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
| 1LM-CORN-80W 1LM-CORN-100W 1LM-CORN-120W |  | Courtyard Corn Bulb | 80W 100W 120W | 8600 11000 13000 | 6000K 6000K 6000K |
| 1LM-PL-50W |  | Parking Lot Light | 50W | 6000 | 6000K |
| 1LM-PL-90W |  | Parking Lot Light | 90W | 10,000 | 6000K |

Grupo Solaris LED Catalog Prices - April 2017

| | | | | | |
|--|---|--|---------------------|----------------------|--------------------------|
| 1LM-COBRA-50W |  | Street Light Parking Lot COBRA Replacement | 50W | 5,500 | 6000K |
| 1LF-2T8A-600 |  | T8 - 600mm Dual Tube Assembly | 20W | NA | NA |
| 1LF-2T8A-1200 |  | T8 - 1200mm Dual Tube Assembly | 36W | NA | NA |
| 1LF-2T8A-2400 |  | T8 - 2400mm Dual Tube Assembly | 80W | NA | NA |
| 1LHT-SSL-40W 1LHT-SSL-60W |  | Solar Street Light | 40W 60W | 4400 6600 | 6000K 6000K |
| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
| 1LG-DOWN-4"-9W 1LG-DOWN-6"-15W 1LG-DOWN-8"-25W |  | 4" UL Down Light 6" TUV Down Light 8" TUV Down Light | 9W 15W 25W | 750 1125 2000 | 4000K 4000K 4000K |
| 1LBR-DECOLAMP1 |  | Courtyard Globe Fixture with 80W Corn Lamp | 80W | 8000 | 6000K |

Grupo Solaris LED Catalog Prices - April 2017

| <u>Model Number</u> | <u>Photo</u> | <u>Lamp Style</u> | <u>Power</u> | <u>Lumens</u> | <u>Color Temp</u> |
|----------------------|---|---|--------------|---------------|-------------------|
| 1LBR-DECOLAMP2 |  | Courtyard Slim Fixture with Integrated CREE | 80W | 6100 | 5500K |
| 1LK-G4-1.5W-3000-12V |  | G4 Bulb - 12 Volts DC Non-Dimmable | 1.5 | 120 | 3000K |
| 1LK-G9-3W-3000-110V |  | G9 Bulb - 110 Volts AC Non-Dimmable | 3W | 200 | 3000K |
| 1LTLD-FL-360W-7000K |  | High Power Flood Light | 360W | 24,000 | 7000K |